



CORROSION PREVENTION

DISTRIBUTOR PRODUCT CATALOGUE

DENSO (AUSTRALIA) PTY LTD

If it doesn't say DENSO on the outside,
then it's not DENSO on the inside!

"DENSO"



PRODUCTS

regd



CONTENTS

DENSO PETROLATUM TAPES & PRIMERS	–	3
DENSO BITUMEN TAPES & PRIMER	–	6
DENSO BUTYL TAPES AND PRIMER	–	7
SEALING MASTICS	–	9
DENSO HIGHWAY MAINTENANCE PRODUCTS	–	10
FLASHING & ANTI-SLIP TAPES	–	10
DENSO MISCELLANEOUS PRODUCTS	–	11
SYLGLAS DIY WEATHERPROOFING SOLUTIONS	–	14



ABOUT DENSO (AUSTRALIA) PTY LTD...

DENSO (AUSTRALIA) PTY LTD SPECIALISE IN THE MANUFACTURE AND SUPPLY OF CORROSION AND CHEMICAL RESISTANT COATINGS AND LININGS FOR THE LONG-TERM PROTECTION OF STEEL AND CONCRETE, EVEN IN THE TOUGHEST ENVIRONMENTS.

THE COMPANY IS AT THE FOREFRONT OF INNOVATIVE CORROSION PREVENTION TECHNOLOGY, FOCUSED UPON DEVELOPING AN EXTENSIVE RANGE OF BESPOKE SOLUTIONS TO MEET THE SPECIFIC NEEDS OF DIFFERENT INDUSTRIES.

THE FULL RANGE OF PRODUCTS ARE MANUFACTURED TO COMPLY WITH THE STRICT QUALITY MANAGEMENT REQUIREMENTS OF **ISO 9001:2015**.

THE PRODUCTS ARE DESIGNED FOR LONGEVITY, WITH SOLUTIONS THAT WHEN APPLIED CORRECTLY CAN OFFER UP TO 30 YEARS OF MAINTENANCE-FREE SERVICE.

DENSO TAPE™



Scan the QR Code to view our Denso Petrolatum Tape System.

For protection below ground or underwater against corrosion on pipework, metal surfaces and cables and temporary sealing of fractured mains and cable joints.

Denso Tape™ is a highly versatile corrosion prevention tape that is non-hardening, non-cracking and conformable over a wide temperature range. Designed to withstand temperatures up to 55°C as well as resistant to water, gases, mineral acids, alkalis and salts, it is an ideal solution for a wide range of corrosion problems.

Denso Tape is also a key component of the Denso Petrolatum Tape System which provides long term corrosion protection to pipes, flanges, valves and related surfaces. When correctly applied in conjunction with Denso MP Primer, Denso™ Mastics (when applicable) and Denso™ PVC SA Tape, assets can be protected easily and effectively, avoiding the enormous wasted cost and serious environmental issues caused by incorrect or incomplete system applications.

PRODUCT CODE	SIZE	UNITS PER CARTON
P600050-44	50 mm x 10 m Roll	24
P600075-44	75 mm x 10 m Roll	16
P600100-44	100 mm x 10 m Roll	12
P600150-44	150 mm x 10 m Roll	8
P600200-44	200 mm x 10 m Roll	8
P600300-44	300 mm x 10 m Roll	4

DENSO HOTLINE™ TAPE



A cold applied, conformable petrolatum tape for the protection of metal pipes operating at elevated service temperatures.

Denso Hotline™ Tape is suitable for the protection of copper, iron or steel pipes above ground in ducts or set in concrete. For below ground applications please refer to technical properties as a high temperature outerwrap is recommended.

PRODUCT CODE	SIZE	UNITS PER CARTON
P501050	50 mm x 10 m Roll	24
P501075	75 mm x 10 m Roll	16
P501100	100 mm x 10 m Roll	12
P501150	150 mm x 10 m Roll	8

DENSO MP PRIMER



For mechanical protection of Denso Petrolatum Tape System in high service temperature environments. A component of the Denso Petrolatum System, protecting pipelines, joints and fittings above and below ground. Suitable for creating a moisture barrier in refrigeration units. Designed to withstand up to 55°C.

PRODUCT CODE	SIZE	UNITS PER CARTON
P300002.5-44	2.5 kg Tub	4
P300015-44	15 kg Drum	1

DENSO™ PVC SA OVERWRAP TAPE



For mechanical protection of Denso Petrolatum Tape System in high service temperature environments. A component of the Denso Petrolatum System, protecting pipelines, joints and fittings above and below ground. Suitable for creating a moisture barrier in refrigeration units. Designed to withstand temperatures up to 75°C.

PRODUCT CODE	SIZE	UNITS PER CARTON
P931025 (Black)	25 mm x 30 m Roll	36
P931050 (Black)	50 mm x 30 m Roll	18
P931100 (Black)	100 mm x 30 m Roll	9
P931150 (Black)	150 mm x 30 m Roll	6
P932025 (Yellow)	25 mm x 30 m Roll	36
P932050 (Yellow)	50 mm x 30 m Roll	18
P932100 (Yellow)	100 mm x 30 m Roll	9
P932150 (Yellow)	150 mm x 30 m Roll	6

DENSO™ HI-TACK TAPE



For high performance corrosion protection of above ground pipework, fittings, and structural steelwork where only limited surface preparation and long-term performance is necessary.

A specially developed tape where additional adhesion is required. Adhesion qualities are higher compared to other Denso Petrolatum Tapes.

PRODUCT CODE	SIZE	UNITS PER CARTON
P612050-44	50 mm x 10 m Roll	24
P612100-44	100 mm x 10 m Roll	12
P612200-44	200 mm x 10 m Roll	8
P612150-44	150 mm x 10 m Roll	8
P612300-44	300 mm x 10 m Roll	4

DENSO™ HI-TACK PRIMER



The primer is typically used on irregularly shaped surfaces or where additional adhesive qualities are required.

Denso™ Hi-Tack Primer will penetrate existing rust, displace moisture and aid the adhesion of petrolatum tapes.

For use on new, power brushed or abrasive blasted steel work to condition the surface prior to the application of the Denso™ Hi Tack Tape.

PRODUCT CODE	SIZE	UNITS PER CARTON
P312004-44	5 Litre Tin	4

DENSYL™ TAPE



Corrosion protection, sealing and waterproofing of metal above or below the ground. Designed to withstand temperatures up to 70°C. The tapes provide long term corrosion protection to pipes, flanges, valves and related surfaces.

PRODUCT CODE	SIZE	UNITS PER CARTON
P6100050-44	50 mm x 10 m Roll	24
P6100075-44	75 mm x 10 m Roll	16
P6100100-44	100 mm x 10 m Roll	12
P6100150-44	150 mm x 10 m Roll	8

DENSO SIREX TAPE



An adhesive coated foil tape designed for UV and mechanical protection of Denso Petrolatum Tape System in high service temperature environments above ground.

A component of the Denso Petrolatum System, protecting pipelines, joints and fittings. Suitable for creating a moisture barrier in refrigeration units.

PRODUCT CODE	SIZE	UNITS PER CARTON
D145048	50 mm x 50 m x 0.1 mm Roll	20
D145072	75 mm x 50 m x 0.1 mm Roll	12

DENSYL KF COLOURTAPE™



Densyl KF Colourtape™ is designed to withstand extreme temperature variations and is resistant to surface spread of flame.

The tape provides long term corrosion protection to pipes, flanges, valves and related surfaces. Specially stabilised and pigmented for use above ground where appearance is important. Waterproofing of cables and thermal insulation where fire resistance is important.

PRODUCT CODE	SIZE	UNITS PER CARTON
P620050	50 mm x 8 m Roll	24
P620100	100 mm x 8 m Roll	12

DENSOPOL 60HT™



Scan the QR Code to view our range of Denso Tapes.

A bitumen compound, fabric reinforced, PVC backed tape for the corrosion protection of buried or immersed pipes, fittings and concrete pipe/culverts.

The tape can be applied by hand or machine to weld joints, bends, bare pipe lengths and pipe fittings.

PRODUCT CODE	SIZE	UNITS PER CARTON
B762050-44	50 mm x 10 m x 1.5 mm Roll	24
B762100-44	100 mm x 10 m x 1.5 mm Roll	12
B762150-44	150 mm x 10 m x 1.5 mm Roll	8

DENSOPOL 80HT™



A heavy duty bitumen compound, fabric reinforced, PVC backed tape for the corrosion protection of buried or immersed pipes, fittings and concrete pipe/culverts.

The tape can be applied by hand or machine to weld joints, bends, bare pipe lengths and pipe fittings.

PRODUCT CODE	SIZE	UNITS PER CARTON
B782050-44	50 mm x 10 m x 2.0 mm Roll	24
B782100-44	100 mm x 10 m x 2.0 mm Roll	12
B782150-44	150 mm x 10 m x 2.0 mm Roll	8

DENSO PRIMER D™



Brush or spray applied bitumen-based primer designed to promote adhesion of Denso Tapes, Ultraflex Tape and Ultraseal Tape as primary wrapping to steel pipelines, concrete surfaces/culverts.

PRODUCT CODE	SIZE	UNITS PER CARTON
B360004	4 Litre Tin	2
B360020	20 Litre Drum	1

DENSO BITUMEN MASTIC STRIP



Repair of damaged areas, filling holes or cracks in factory coated pipes, contouring weld beads and cut backs prior to wrapping welded joints, contouring seams on spiral and seam welded pipe, filling and wrapping of bolted connections in junction boxes, sealing exposed electrical cable ends.

A component of Denso Steelcoat and pipeline corrosion protection system for maximum temperatures up to 40°C.

PRODUCT CODE	SIZE	UNITS PER CARTON
B461050	50 mm x 10 m Roll	5
B461100	100 mm x 10 m Roll	3

DENSO ULTRAFLEX 1500 TAPE



A bitumen based adhesive corrosion protection tape designed for pipelines, joints, concrete culverts, welds, bends and fittings.

PRODUCT CODE	SIZE	UNITS PER CARTON
B708050	50 mm x 10 m x 1.5 mm Roll	20
B708100	100 mm x 10 m x 1.5 mm Roll	12
B708150	150 mm x 10 m x 1.5 mm Roll	8

DENSO BUTYL TAPES AND PRIMER

DENSO BUTYL PRIMER



A brush, sponge roller or spray applied primer, designed to promote the adhesion of Butyl tapes to new, power brushed or abrasive blasted steel.

PRODUCT CODE	SIZE	UNITS PER CARTON
H104001-49	1 Litre Tin	1
H104005-49	5 Litre Tin	1
H104010-49	10 Litre Tin	1

DENSO BUTYL MASTIC STRIP



A combination filler and tape wrapping to fill holes and cracks in factory coated pipes, contouring weld beads and cut backs prior to wrapping welded joints, contouring seams on spiral and seam welded pipe, filling/wrapping of bolted connections in junction boxes and sealing exposed electrical cable ends.

PRODUCT CODE	SIZE	UNITS PER CARTON
B460050	50 mm x 10 m x 3.0 mm Roll	8
B460095	95 mm x 10 m x 3.0 mm Roll	4
B460150	150 mm x 10 m x 3.0 mm Roll	2

DENSO S43-R23 BUTYL TAPE SYSTEM



The system is designed for the protection of line pipe, joints, welds, bends and fittings. The Denso S43 Tape, which is reinforced with a polyethylene film, provides the corrosion protection to the substrate. The Denso R23 Tape, which has a polyethylene backing, provides mechanical protection to the system.

Denso S43 Inner Wrap

PRODUCT CODE	SIZE	UNITS PER CARTON
H145050-49	50 mm x 15 m x 0.75 mm Roll	30
H145100-49	100 mm x 15 m x 0.75 mm Roll	15
H145150-49	150 mm x 15 m x 0.75 mm Roll	10

Denso R23 Outer Wrap

PRODUCT CODE	SIZE	UNITS PER CARTON
H146050-49	50 mm x 15 m x 0.75 mm Roll	24
H146100-49	100 mm x 15 m x 0.75 mm Roll	12
H146150-49	150 mm x 15 m x 0.75 mm Roll	8

PREMIER™ WRAPPING MACHINE



Hand wrapping machines are built to assist in the application of both inner and outer butyl tapes. Using the wrapping machine allows the applicator to set the correct tension and correct tape overlap required.

PRODUCT CODE	SIZE
D185000	Small Wrapping Machine, Pipe DN50 - DN250 (Suitable for Tapes up to 100 mm)
D185001	Standard Wrapping Machine, Pipe DN250 - DN1400 (Suitable for Tapes up to 150 mm)

DENSO™ PROFILING MASTIC




Self-supporting, lightweight and flexible mastic for all sealing, filling and caulking purposes. Used to fill awkward angles prior to wrapping with Denso™ Petrolatum Tapes or Bitumen Tapes.

For use on mechanical joints, flanges, fittings and valves. Weight for weight Denso™ Profiling Mastic will fill three times the volume filled by other brand mastics due to its low density.

PRODUCT CODE	SIZE	UNITS PER CARTON
P410100-44	3.5 kg Block	4

DENSYL™ MASTIC



Self-supporting, flexible mastic for sealing, filling voids and caulking purposes. Used to fill awkward angles prior to wrapping with Denso™ Petrolatum Tapes or Denso Bitumen Tapes.

For use on mechanical joints, flanges, fittings and valves.

PRODUCT CODE	SIZE	UNITS PER CARTON
P410103-44	3 kg Block	6

DENSOSEAL 16A™



A non-setting, self-supporting mastic which can be applied to wet surfaces and is designed for sealing ducts and conduits against the ingress of gas and water.

Denso Seal 16A™ can easily be applied by hand and is ideal for sealing ducts and conduits that are below ground level and susceptible to infiltration by water or gas. It can also be used to create smooth profiles around awkwardly shaped mechanical joints on hot pipes prior to the application of a protective tape wrap system.

PRODUCT CODE	SIZE	UNITS PER CARTON
M450001	1 kg	8

DENSO™ MASTIC



A cold applied self-supporting mastic. It is a petrolatum compound containing inert siliceous fillers and vegetable fibers.

Denso™ Mastic can be used for sealing, filling and caulking applications where a protective, waterproof and non-setting mastic is required. It can be used to contour tank bases and profile irregular surfaces. It is applied prior to the tape application and generally used in conjunction with primer, Denso Petrolatum Tapes or Denso Bituminous Tapes.

PRODUCT CODE	SIZE	UNITS PER CARTON
P400003-44	3 kg	6

DENSOBAND™



A polymer modified bitumen strip for sealing joints in hot asphalt base and wearing courses.

Used in road maintenance and construction, DensoBand™ creates a flexible, watertight seal in hot asphalt base and wearing courses to asphalt, concrete or ironware. Features a wider width disposable interleaving for easy application to surfaces primed with a suitable primer (DensoBand™ Primer is recommended).

PRODUCT CODE	SIZE	UNITS PER CARTON
B614044	45 mm x 8 mm x 12 m	3
B614045	45 mm x 15 mm x 6.5 m	3

DENSO™ OVERBANDING TAPE



A polymer modified bitumen strip for sealing over cracks or failed reinstatement joints on secondary roads.

Fast installation and creates an instant watertight seal. The skid resistance can be increased with granite dust.

PRODUCT CODE	SIZE	UNITS PER CARTON
B8645001	40 mm	20

FLASHING & ANTI-SLIP TAPES

DENSO™ ALUTAPE



Water and weatherproofing Bitumen based adhesive aluminium backed flashing tape.

PRODUCT CODE	SIZE	UNITS PER CARTON
B847050	50 mm x 10 m Roll	20
B847100	100 mm x 10 m Roll	10
B847150	150 mm x 10 m Roll	8
B847200	200 mm x 10 m Roll	4
B847300	300 mm x 10 m Roll	4
B847450	450 mm x 10 m Roll	2

DENSO MISCELLANEOUS PRODUCTS

DENSO REPAIR WRAP

Protective fibreglass outerwrap and pipe repair bandage used to repair leaking water, sewage, air and fuel pipes.



PRODUCT CODE	SIZE	UNITS PER CARTON
M220075	75 mm x 3.0 m	12
M220100	100 mm x 3.0 m	12
M230100	100 mm x 4.5 m	12



DENSO - RAMIC

A tough, wear and erosion resistant, trowelable ceramic lining system that is applied as a wear lining for chutes, bins, pipe lines and elbows, screen under pans or sub-frames, screen discharge lips and mechanism tubes, centrifuges, flotation launders and cells, media vessels, tanks or tank impellers, dust extractors, pumps, etc.



PRODUCT CODE	SIZE
A2690904 (A/B)	4.3 Litre Kit

DENSO ULTRASEAL TAPE

Tough, durable bituminous compound tape with a non-woven fabric backing used for the protection of aboveground steel work from corrosion.



PRODUCT CODE	SIZE	UNITS PER CARTON
B802050	50 mm x 15 m Roll	20
B802100	100 mm x 15 m Roll	10
B802150	150 mm x 15 m Roll	8
B802200	200 mm x 15 m Roll	4
B802225	225 mm x 15 m Roll	4
B802475	475 mm x 15 m Roll	2

DENSO ULTRASEAL RT



Used as an above ground outer wrap for Denso or Densyl petrolatum tapes. Provides physical and mechanical protection for the petrolatum tapes.

PRODUCT CODE	SIZE	UNITS PER CARTON
B804050	50 mm x 12 m Roll	20
B804075	75 mm x 12 m Roll	12
B804100	100 mm x 12 m Roll	6
B804150	150 mm x 12 m Roll	8
B804200	200 mm x 12 m Roll	4

DENSO ACRYLIC TOPCOAT



Topcoat finish to Ultraseal Tape/ Ultraseal RT.

PRODUCT CODE	SIZE	UNITS PER CARTON
P943004BLK	4 Litre Black	1
P943004B	4 Litre Charcoal	1
P943004G	4 Litre Grey	1

PROTAL ST EPOXY



Used wherever steel grit blasting is not possible. Protal ST Epoxy can be used alone or in combination with Denso Acrylic Topcoat for long term exposure to UV in applications such as: structural steel, pipe externals, pipe racks, tanks, offshore platforms, locks, gates, and bridges. Provides long term corrosion protection and weathering resistance as part of the Denso Steelcoat 400 & 700 Systems.

A high solids epoxy-based coating primer/topcoat which may be applied in high film thickness to steel, galvanized steel and concrete.



PRODUCT CODE	SIZE
P944005GA-27	Grey 5 Litre Kit Part A
P944005GB-27	Grey 5 Litre Kit Part B
P944005WA-27	White 5 Litre Kit Part A
P944005WB-27	White 5 Litre Kit Part B
P944020GA-27	Grey 20 Litre Kit Part A
P944020GB-27	Grey 20 Litre Kit Part B
P944020WA-27	White 20 Litre Kit Part A
P944020WB-27	White 20 Litre Kit Part B

THE SYLGLAS™ DIY RANGE OF PRODUCTS OFFER PRACTICAL AND EASY TO USE SOLUTIONS FOR SEALING, WATERPROOFING AND SAFETY APPLICATIONS AROUND THE HOME & GARDEN.

FOR FURTHER DETAILS ABOUT OUR DIY PRODUCT RANGE VISIT OUR WEBSITE. IT INCLUDES DETAILED PRODUCT INFORMATION AND ADVICE ON WHERE YOU CAN PURCHASE OUR PRODUCTS. VISIT WWW.DENSOAUSTRALIA.COM.AU TODAY!



Scan the QR Code to view the our website for more detailed product information.

SYLGLAS™ FLASHING TAPE - LOOKS LIKE LEAD



Self-adhesive, aluminium-backed flashing in tape form. For waterproofing roof to wall and other building joints.

A cold-applied aluminium foil coated with a bituminous adhesive and a plastic interleaving for cleaner handling and easier release. The aluminium/polyester laminate has a grey weatherproof lacquer finish that resembles lead. No primer required. Size: 150mm wide x 4metres

PRODUCT CODE	SIZE	UNITS PER CARTON
G8620013	150 mm x 4 m Roll	4

SYLGLAS™ WATERPROOFING TAPE



A flexible tape for sealing and waterproofing jobs around the home and garden.

An easily-applied tape that never hardens – so it won't crack. Designed to seal leaking glazing bars, gutters, downpipes and for protecting above ground metalwork from rusting. Sizes: 50, 75 & 100mm wide x 4 metres

PRODUCT CODE	SIZE	UNITS PER CARTON
G8113001	50 mm x 4 m	12
G8113002	75 mm x 4 m	8
G8113003	100 mm x 4 m	6

SYLGLAS™ ALUMINIUM WATERPROOFING TAPE



A self-adhesive aluminium waterproofing tape suitable for jobs around the home and garden.

An embossed aluminium tape, with a disposable interleaving for easy handling, that can be overpainted once applied. Suitable for weatherproofing conservatory or greenhouse glazing bars, damaged window sills, metal garages, caravan roofs and more. Sizes: 50 & 100mm wide x 4 metres

PRODUCT CODE	SIZE	UNITS PER CARTON
G8620020	50 mm x 4 m Roll	12
G8620022	100 mm x 4 m Roll	6

SYLGLAS™ CLEAR WEATHERPROOFING TAPE



A clear U.V. stable weatherproofing tape for external use on glass, plastics and polythene.

Ideal for the external repair and weatherproofing of cracked glass, plastic and polythene sheeting, Sylglas™ Clear Weatherproofing Tape is resistant to ultraviolet light and will not crack or discolour. Size: 50mm wide x 6 metres

PRODUCT CODE	SIZE	UNITS PER CARTON
G8620007	50 mm x 6 m	16

SYLGLAS™ ANTI-SLIP TAPE



Self-adhesive, slip-resistant tape that can be used on steps, pathways and slippery surfaces.

Ideal slip prevention for steps, paths and all potential slippery surfaces including patios, decking areas, garages, metal staircases and invalid ramps.

PRODUCT CODE	SIZE	UNITS PER CARTON
G8620040	50 mm x 3 m Black Roll	12
G8620041	50 mm x 3 m Yellow Roll	12
G8620042	50 mm x 3 m Clear Roll	12
G8620045	50 mm x 3 m Hazard Roll	12

DID YOU KNOW...

DENSO (AUSTRALIA) PTY LTD OFFER

PRODUCT TRAINING

ON ALL OF OUR

CORROSION PREVENTION AND SEALING SYSTEMS!


The enormous wasted cost and serious environmental issues caused by incorrect or incomplete system applications can have a detrimental effect on everyone involved.

It's important to us that our customers feel confident in our systems and we take pride in training your teams to the highest standard in application methods.

CONTACT YOUR LOCAL REPRESENTATIVE FOR MORE

INFORMATION, OR EMAIL US AT:

DENSO@DENSOAUSTRALIA.COM.AU





For any product inquiries please contact your local Business Manager.

STEVE FAULKNER

NSW / ACT / DISTRIBUTOR MGR (NATIONAL)

steve@densoaustralia.com.au
0413 700 168

KYLE FORTUNE

VIC / NZ / PACIFIC ISLANDS

kfortune@densoaustralia.com.au
0451 468 870

DAVID TOWNS

SA / NT / TAS

davidtowns@densoaustralia.com.au
0413 700 170

GEORGE WETTENHALL

QLD / PNG / NATIONAL PIPELINES

george@densoaustralia.com.au
0435 651 748

SPENCER MACSWEEN

WA

spencer@densoaustralia.com.au
0413 700 171

ADAM MATTHEWS

NATIONAL DEVELOPMENT MANAGER - VISCOTAQ

adam@densoaustralia.com.au
0458 837 300

DENSO (AUSTRALIA) PTY LTD

Denso (Australia) Pty Ltd
77 - 95 National Boulevard
Campbellfield Victoria
AUSTRALIA 3061

TEL: +61 (03) 9356 7600
FAX: +61 (03) 9356 7699
EMAIL: denso@densoaustralia.com.au
WEB: www.densoaustralia.com.au

VIEW ONLINE

